

Seagrass-Watch



news

Issue 27 • November 2006

As another year comes to a close, we can look back over a successful year of monitoring and some significant achievements. Now in it's eighth year, the program has welcomed new participants in Australia, Fiji, Solomon Islands and Thailand. Additionally it has welcomed several countries including India, China, and more recently Singapore, Eritrea, and Bangladesh. The program has also seen the website updated and the newsletter go colour.

In this issue you can read reports from several of the regions & countries currently participating in the program, as well as some new ones. Get an update on the Reef Water Quality project. Read about Tetepare Island and the status of seagrass in the Eritrean Red Sea. Catch up on the NCEAS Global Seagrass Futures Initiative and how Seagrass-Watch is assisting. You'll also find some interesting articles on saltmarshes, acorn worms, and seagrass research. With the southern summer approaching, there's also an article on seagrass sensitivity to UV radiation. Don't forget to check out the website, as the gallery and news pages are regularly updated. Everyone at Seagrass-Watch HQ wishes all watchers and supporters a happy new year and safe holiday season. We look forward to another year of achievements in 2007!!!

What's inside:

Article	page
WSA & Global Seagrass Futures	2
Torres Strait.....	3
Great Sandy Strait.....	4
Townsville.....	5,6,7
Noosa.....	8
Moreton Bay.....	8
Whitsundays.....	9
NSW.....	9
Singapore	10,11
Saltmarsh.....	12
Seagrass, light & nutrients.....	13
Eritrea.....	14
Minicoy Atoll (India).....	15
Bangladesh.....	15
SOS Malaysia.....	16
ISBW7 & Zanzibar.....	16,17
Tetepare Island (Solomon Is).....	18
Cawaci (Fiji)	19
Motupore Island (PNG)	19

Great Barrier Reef Water Quality Marine monitoring wraps up for another year


David Haynes and Joelle Prange (Great Barrier Reef Marine Park Authority) report

The second year of the Reef Water Quality Protection Plan Marine Monitoring Programme has successfully wrapped up for 2006 and a big thank you goes to the Seagrass-Watch volunteers who gave up their time to assist with the monitoring over the last two years.

The information collected is starting to provide a comprehensive picture of the status of water quality and inshore Reef ecosystems.



We are beginning to have a Reef-wide picture of intertidal seagrass health as well as information on the concentrations of pollutants such as diuron in seagrass meadows.



Seagrass-Watch locations participating in GBR water quality monitoring



Australian Government



Great Barrier Reef Marine Park Authority

The data collected off the North Queensland coast following cyclone Larry showed most meadows are in a good position to recover from disturbance based on information collected by Seagrass-Watch volunteers on meadow seed bank counts.

Next year we will look to expand the programme to include monitoring of meadow temperature and light levels using data loggers and we will have additional sampling at intertidal meadows on offshore islands.

Marine Monitoring reports describing the data collected to date will be available at the start of 2007 from www.gbrmpa.gov.au or by phoning the Great Barrier Reef Marine Park Authority on (07) 4750 0700.

Looking into the future, a Marine Monitoring Programme website is currently being developed and will be online by the end of the year. ♡

"I'm doing my bit to look after it!"





WORLD SEAGRASS ASSOCIATION

Assoc. Prof. Michelle Waycott (President WSA) reports

The World Seagrass Association is a professional group which works towards the improvement of scientific knowledge, protection and effective management of seagrass ecosystems around the world. At present, members come from more than 15 countries and membership continues to grow with every meeting of the International Seagrass Biology Workshop series. The 7th such meeting, held in Zanzibar (Tanzania) in October this year was a great success. Queensland's Seagrass-Watch scientists have been pivotal in getting the association up and running over the past 6 years. Dr Rob Coles (DPI&F) was foundation Secretary to the association. Rob has played an important role in that he managed to take the idea of the association and make it an incorporated body, set up the website with volunteer support from friends and colleagues, and kept the association running across all the major continents. Len McKenzie, our Seagrass-Watch program leader, has been Treasurer for the last couple of years. With the voting in of a new committee, Michelle Waycott (me) has now become President of the association, Len is Secretary and Rob is a member of the general committee. We look forward to new opportunities to improve the status of seagrass around the world. If you are interested in the WSA, please visit our WWW site or contact us for more information. Dr Michelle Waycott, email: michelle.waycott@gmail.com



In Zanzibar, a few Seagrass-Watch scientists from the past and present (left to right), Rob Coles, Stuart Campbell, Karen Vidler and Jane Mellors

Dr Rob Coles (DPI&F) was foundation Secretary to the association. Rob has played an important role in that he managed to take the idea of the association and make it an incorporated body, set up the website with volunteer support from friends and colleagues, and kept the association running across all the major continents. Len McKenzie, our Seagrass-Watch program leader, has been Treasurer for the last couple of years. With the voting in of a new committee, Michelle Waycott (me) has now become President of the association, Len is Secretary and Rob is a member of the general committee. We look forward to new opportunities to improve the status of seagrass around the world. If you are interested in the WSA, please visit our WWW site or contact us for more information. Dr Michelle Waycott, email: michelle.waycott@gmail.com

NCEAS Global Seagrass Futures Initiative... What is it?

Assoc. Prof. Michelle Waycott (JCU) reports

In 2004 the 6th International Seagrass Biology Workshop was held in Townsville. At this workshop, where Seagrass-Watch had a very high profile, it was recognised that the significant monitoring effort made around the world by volunteers, scientists and environmental managers, needed to be coordinated into a review of the status and trends of seagrass habitats globally. Funding to conduct this synthesis was obtained through the National Centre for Ecological Synthesis and Analysis (NCEAS) based at the University of California Santa Barbara in the USA. Four meetings were planned and we have had two of these already. The first meeting resulted in a paper entitled "A contemporary crisis for seagrass ecosystems" to be published in BioScience early in 2007. Right now we are compiling seagrass



Global Seagrass Futures NCEAS working group October 2006. Left to right: Gary Kendrick, William Dennison, Carlos M. Duarte, Frederick Short, Suzanne Olyarnik, Tim Carruthers, W. Judson Kenworthy, Robert Orth, Susan Williams, Kenneth Heck, James Fourqurean, Michelle Waycott, Randall Hughes (not present)

monitoring data from many different sources, including a summary of data Seagrass-Watchers have collected, to assess the global trend in seagrass habitats. We will report on our outcomes in the middle of 2007. Watch this space! 🌱

Sunburnt Seagrass Are Seagrasses Sensitive to UV radiation?



Catherine Walsh (Honours student, JCU)

Just like terrestrial plants, seagrasses need three major requirements for growth and survival: light, carbon and nutrients. Light is the major limiting factor for marine plants as it is essential for photosynthesis, which is important for the survival for all plants. Although seagrasses depend on light to survive, just like humans too much light and ultra violet radiation can be harmful.

Sensitivity to UV radiation may influence seagrass depth distribution, with the more hardy seagrass species growing in intertidal areas which are subjected to a high level of exposure and UV light at low tide. UV light is not such an issue for deep-water seagrasses as the harmful concentrations disappear within the first centimetre or so. UV radiation affects plant physiology including DNA, proteins and membranes, with consequent reductions in;

- photosynthesis
- growth
- leaf area
- seedling growth
- dark respiration
- ion transport
- primary production.

There are generally two strategies adapted by plants for coping with UV radiation:

1. protecting UV-sensitive tissues from the damage before it happens, and
2. recovery from the damage after exposure.

The most common means for seagrass to protect themselves and adjust to harmful UV levels is to accumulate UV protecting compounds within their leaves. The most common of these being UV absorbing pigments. These pigments, such as chlorophyll *a* and *b* and carotenoids, can accumulate rapidly in response to high UV conditions, within 24 hours.

Although epiphytic growth reduces the amount of photosynthetically available light for seagrasses, it has been found that there are some benefits to epiphytic cover, as it provides a shield against UV light. This is most important for *Halophila* species as it is extremely sensitive to UV radiation.

Despite the involvement of clever chemical and photosynthetic responses, seagrasses, just like human, get sunburnt too! This 'sunburn' involves pigment loss or destruction, resulting in a colour change, from green, to brown, to black!

So next time you're out on the seagrass meadows, and you see patches of brown or black leaves, you may be witnessing seagrass sunburn. 🌱

HAVE YOU SENT YOUR DATA TO HQ??

If not, your data cannot be used for regional and global assessments



Torres Strait - Queensland



Torres Strait Update

Torres Strait sites have been monitored twice since the last newsletter. In August there was a great turn out by Year 11 Marine Studies classes despite the early morning starts. Mr Kocho's class adopted TI1 while Mr Hughes class turned out to monitor TI2. An added treat (?) was being filmed by the national public television broadcaster SBS (Special Broadcasting Service) at TI2. The documentary was on the prevalence of diabetes in the Torres Strait. Seagrass-Watch was filmed as it depicted the youth of Torres Strait being actively involved outdoors.

Monitoring at Horn Island relied on the normal crew of Ina, Stacey, Kristie and Kinam. After a moonlit ferry ride, the girls were ready to do battle with the mud at HI1 as the sun rose.



Dawn start at Wongai Beach. Jane directing on ground activities

Well if we thought that the August field trips were early, November was even earlier and with the added excitement of monitoring on a rising tide. At HI1, the regular crew of high school students, were joined by Andrew, Billy, Elizah (Kaiwalagal Indigenous Rangers) and Miya (Regional Natural Resource Management Facilitator, Torres Strait Regional Authority). The rangers caught on quickly and ably assisted with the monitoring. TI2 monitoring was a race against the tide, but the experienced team of Jane, Kinam, Catherine and Beccie took it in their stride. Thanks to Mr Hack who turned up at the eleventh hour to save our tape measures from becoming completely immersed. Monitoring at TI1 was supported by the Year 12 Multi Strand class who not only collected the data but also taught and mentored the Year 7s from Boigu and Dauan Island. They were visiting TI High as part of their high school orientation.



Stacey and Mr Denzin lead the Boigu and Dauan Island high school orientation class in the field



Could this be our big break??? SBS filming Seagrass-Watch at TI2



Billy, Elizah and Miya enjoying the early morning at HI1



Presenting Seagrass-Watch to Hammond Island rangers.

While in the Torres Strait, Jane Mellors (Seagrass-Watch HQ) also visited Hammond Island to discuss potential sites for monitoring with the Hammond Island Indigenous Rangers. She also visited Dauan

Island Primary School and talked to the students about seagrass biology and ecology. Getting to Dauan is no easy task - you must fly to Saibai Island in an eight seater plane, catch the bus/ute to the waterfront, then get a dinghy across to Dauan Island (25 minutes away with glimpses of the New Guinea coastline) - who says watching the grass grow is boring!!!!!!! 🌱



Above: Lets talk about seagrass! Grade 5&6 Dauan Island Primary School. Right: Dauan Island, a granite island, only 4km from the Papua New Guinea

Seagrass Travel Award



Kristie, Kinam and Shenade get up close and personal with the Airlie Beach dugong

Kristie McNamara and Kinam Salee were the recipients of this year's TI High School seagrass travel award. The girls traveled from Thursday Island to assist in the Reef Water Quality Protection Plan Marine Monitoring Program (RWQPP MMP) at several seagrass sites around Townsville, Airlie Beach and Sarina Inlet. While on the trip they met Shenade Muller, another student who regularly contributes to the Seagrass-Watch and RWQPP in Townsville. The girls not only worked hard, they shopped hard and even managed some sight seeing. All in all it was a great experience for them as they got to witness other types of seagrass meadows along the Queensland coastline and to see how Seagrass-Watch protocols are being used within another programme dealing with water quality issues within the Great Barrier Reef Marine Park World Heritage Area. 🌱

Below: The RWQPP team (Shenade, Naomi, Kristie and Kinam) at Sarina, SI2.



Above: Kinam and Kristie experience the seagrass at Picnic Bay, Magnetic Island



The November team at TI1- TI high School, Boigu Island State School, Dauan Island State School and Seagrass-Watch HQ (Townsville team)



Queensland



Great Sandy Strait Fauna and Flora Watch

Gordon F Cottle reports



A most productive and interesting four months since the July report, with a boat trip to Reef Islands (courtesy of Paul Bailey) on 8th July, with Robyn, Pat and I in idyllic weather conditions. At RI1 new, clean grass cover was slightly down on 2004, with readings of 15/25/30%. At RI3 again new growth up to 32%. Travelling back between the two islands on the incoming tide we counted at least twenty turtles on the surface with dozens more beneath us, in crystal clear water. On the 9th, Paul, Robyn and family surveyed RI2 with cover of 30-40%, and extensive feeding trails throughout

In late July I made contact with Maree Prior (Cooloola Coastcare) and Sue Arthur a teacher at Tin Can Bay State School, where we hope to commence monitoring during Term 2007.

On 20th August a long awaited boat trip to Brown's Gutter, where we were able to monitor BG3 with *Zostera capricorni* 15-20%, and BG2 on the same day, with cover of 25 - 30%, up on 2004. An interesting find of a previously unrecorded patch of *Halophila spinulosa*, and a most exciting spotting of a live vibrant sea creature,



Above: Browns Gutter, August 2006. Right: Baler shell



variously identified as a baler shell, a sea hare and a Spanish dancer (my preference), having seen the swirling movement of the "skirt"

Maree Prior and I looked at Tin Can Bay site TBI on the 21st, but apart from thousands of mud whelks, soldier crabs, and crushed shell, there was no visible grass.

September 9th was spent at Poona PN2 which was worse than in April, with 27 of 33 quadrats showing sparse or no grass, whereas, in September, 2003, 13 quads had cover from 15 to 35%, and 16 with cover from 2 to 12%, very disturbing trend. This information has been sent to CSIRO with mud samples.

On the 24th Robyn and family WALKED to Boonooroo BN2, a feat in itself, and reported excellent *Zostera capricorni* cover approaching the site, although the site itself was fairly bare. This bank is a popular yabby pumping area.



Lucy, Sarah, Robyn and Matthew The Baileys at BN2

Over the weekend of 6th October we monitored PNI, recording abundances of 5%, well down on previous visit, with a noticeable absence of crustacean and worms.

A boat trip to BGI, which, as usual, was mostly bare, with the patch of *Zostera* at transect 2 spread over four quadrats with 20-25% cover. At Tinnanbar TN1 showed improved cover of 30%, up from April.



Hanne Larsen, Gordon Cottle and Maree Prior. Photo by Janet Heath

On November 3rd I was very pleased to welcome back Hanne Larsen, an original seagrass "watcher", and with Maree Prior and local news reporter Janet Heath in attendance, visited Pelican Bay PBI for the first time for all of us. A very comfortable site to monitor, although

with little grass.


On Saturday 4th Robyn, Pat, Hanne and I went to Tinnanbar TN3, which is usually a long walk, but a recently opened track took us within 400 metres of the site. Cover was 5 - 15%, considerably lower than in May (up to 40%). The weather conditions were atrocious, a 35 knot northerly gale and squalls, so we made an early exit as we saw the approach of a thunder storm.

On the Sunday Robyn, Pat and I returned to Tinnanbar to TN2 in balmy sunshine with no wind! This site also showed a serious decline, with no feeding trails, which were especially noted in May. A quick walk to Poona PNI on Monday to pick up a heat sensor rounded off a busy, tiring weekend.

A big "THANK YOU" to every one for their efforts.♥



Pat Cottle and Robyn Bailey on site, TN2



Townsville Region - Queensland

Shelley Beach

Sue Mulvany (TTSW Local Coordinator) reports



The Shelly Beach, Site 1 Seagrass-Watchers

Brilliant to have had such a great turnout to our Shelley Beach (Sb1) site in October. I've got to admit that when reading the newsletters I think how easy we have it right now compared to some other Seagrass-

Watch groups who are battling less than ideal conditions, including quicksand and murky water! At this time of the year it is a pleasure to be at our pretty site.

After a run through the risk assessment sheets we proceeded to the beach, after noting the necessity to append with regard to hazards of green ants up legs of short shorts. (??) On a more serious note, I found myself more

conscious than usual of stingray depressions after Steve Irwin's recent tragic end, perhaps a timely reminder to always proceed with awareness and caution, and to take seriously the risk assessment which summarises the dangers associated with our activity. Temperatures in



the high 20's were perfect and the low tide fell mid-afternoon which made life all very pleasant and convenient. Little change in seagrass coverage was observed at the site compared to the previous monitoring in July. Only *Halodule uninervis* was recorded, and about one third of the quadrats had 0% cover. Dugong poo was observed in the vicinity.

The next monitoring will be around late January/early February with precise times to be advised. Thanks to all our watchers and welcome to our new members. October monitoring included: David, Steve and Beth, Dick, Mike, Barry, Jason and Michelle, Ruth, Sibylle, Brooke, Yumiko, Naomi, Posa, and Sue. ♡



Above: August SB2, Seagrass-Watch team. Right: Turtle at Shelly Beach



Naomi Smith reports

It was a beautiful clear cool sunny day for our August Seagrass-Watch monitoring at Shelley Beach SB2. On our leisurely walk to the site we spotted a green turtle "sunbaking" amongst the intertidal rocks. It is quite common to see turtles sunbaking as it allows them to rid themselves of algae and barnacles that

can be found on their shells. On our return journey a second turtle was also spotted in the same area. Having worked/studied previously at the SB2 site, Barry Bendell used his experience to lead newcomer Michael Whiting in the right direction (the less muddier path). Meanwhile Catherine Walsh, Iony Woolaghan, Graham Smith and I thought we would take on a challenge (through knee deep mud). After a cardio workout (for some)

the peg was located and the three transects were taped and pegged out. We split into our three transect teams and began monitoring the seagrass bed.

Overall, it appears that *Zostera capricorni* is increasing in abundance in the area but *Halodule uninervis* is still the dominant species in this meadow. We also observed small scattered patches of *Halophila spinulosa* near our sample site, where the water pooled at low tide. It was a great afternoon and we all felt quite energised after our muddy exercise. Thank you to Barry for sharing his seagrass knowledge and to Catherine for taking Micheal (hopefully who will volunteer with us in the future) under her experienced Seagrass-Watch wing. Also, this Seagrass-Watch team showed their passion for protecting the environment by collecting two buckets of rubbish along the way. Well Done!


"Crocodile sightings" headlined the local newspaper in November, but that did not deter our determined SB2 Seagrass-Watchers. We did, however, undertake a risk assessment and



had many crocodile spotters on the lookout. Our group had a total of 8 volunteers, which was a very good turnout for a weekday. We walked up over the hill and out to the site. The sediment had changed quite considerably since our last visit in August. The sediment had gone from very muddy to

slightly sandy with only a few patches of ankle deep mud. The seagrass meadow was dominated by *Halodule uninervis* with only a few patches of *Zostera capricorni* (a decrease from last monitor) and *Halophila ovalis*. We had a few interesting finds: Sue and Francis observed a species of anemone found in their quadrat on transect 1 and Catherine and Sarah later found another anemone on transect 3. Also, on the walk back Linda spotted an unusual clump of coloured rock, which we have identified to be a species of soft coral.

Thank you to all the volunteers who once again showed their passion for the environment by attending and by picking up the rubbish on the way out and back from the site. A big thank you to new recruit Francis who had a tough time with shoe malfunctions in the muddy sections. Overall, we had a lovely day and it was a nice way to finish off the working week. ♡



Townsville Region - Queensland

Picnic Bay

Peter, Savannah, Cara, Cayla and Rui
Year 4/5, report



Our year 4/5 class from Magnetic Island State School embarked on Seagrass-Watch at Picnic Bay, in early August. The Seagrass-Watch kit was brought down by Rhonda

and the three transects were laid out in preparation for our class by Catherine, Iony, Flora, Patsy and Naomi. After arriving at Picnic Bay we had lunch, then, Mr Hammelswang separated us into three groups. We monitor the seagrass meadow found at the eastern end of the bay. To do the monitoring we lay a quadrat down every 5 metres along each transect. We then report the details found in our observation area, for example, seagrass coverage, algae coverage, epi-cover, the sediment type (muddy, sandy, etc), height of seagrass leaves, any animals living in the seagrass (shrimps, snails, crabs etc) and any other species of seagrass we find. We also take a photo at every 5m, 25m and 45m along each transect. We then did our seed coring to find any seagrass seeds. The seagrass meadow at Picnic Bay has three main species *H. uninervis*, *H. ovalis* and *Z. capricorni*. One of the groups even found a *Z. capricorni* leaf which measured 20 cm.


This collection of data is useful to scientists as they can see how the environment is changing over time in a certain area. Often a large group of helpers are needed as we can only monitor when the tide is very low. We are having fun and learning a lot from our involvement in Seagrass-Watch and hope to do it again.♥

Cockle Bay

Don Kinsey (U3A) reports

The Winter monitoring by our U3A Earth and Sea Class was carried out on 25th of July. For the first time, there were no DPI&F staff present. *H. ovalis* was not very dominant and there was relatively low levels of *H. uninervis*. There was still some evidence of *Enteromorpha*-type green filamentous alga on higher ground. A notable difference was that the epi cover was totally dominated by turf algae and diminutive foliose red algae. There was also a very small amount of *Dictyophæria* sp., adjacent to the transects.

October sampling of Cockle Bay, went well. *H. ovalis* was not very dominant except in transect 2. There was relatively low levels of *H. uninervis*. The higher ground from the inner ends of the transects back to the beginning of the mangroves is now



showing even lower cover of *H. ovalis* than on the previous three sampling periods, and that remaining was only in the puddles in depressions. There was no evidence of the *Enteromorpha*-type green filamentous alga on this higher ground as has been found previously.

Most epicover was a fine muddy diatomaceous layer with a small amount of turf algae and diminutive foliose red algae. The only dominant type of algae was foliose reds - at least two species were dominant, *Halimeda* spp; *Padina* sp., but only at low levels. One total new-comer was a *Caulerpa* sp that resembled but was not, *C. cupressoides*.♥

Bushland Beach


Lux Foot & Catherine Walsh report

Saturday 7th October was an excellent day to go seagrass monitoring. There was a gentle breeze and a few clouds to keep us cool, the whole sixteen of us. There were a few new recruits from James Cook University who learnt about Seagrass-Watch through a seminar by Dr Jane Mellors (Seagrass-Watch HQ), and of course we had other members from the Northern Beaches Rotary. The Department of Primary Industries & Fisheries had their sampling team at Bushland Beach (BB1) collecting for the Great Barrier Reef Reef Water Quality Protection Plan (RWQPP), and they lent assistance with the seed counting once they finished their task. Cairns based DPI&F scientist, Dr Rob Coles and his family, helped with both the RWQPP and Seagrass-Watch. Also in attendance were two girls from Thursday Island, I was pleased to see them as I had met them while in T.I. last November.



The Bushland Beach seagrass meadow looked extremely healthy and there were a number of flowers noted for both *H. uninervis* and *H. ovalis*, indicating that this time of year is very productive. A large number of dugong feeding trails were also obvious, winding through the lush meadow. The tide was quite low this time which gave us plenty of time to do our thing.

Our meadow still has a lot of razor clams throughout. The blow outs have not increased in number but have become a little deeper, no doubt the result of the heavy seas we have had over the past few months. Most times when we go out, we see something different, this time was no exception. We saw crabs, snail-egg masses, sea cucumbers, an eel and we found a brown sea snake while we were on our way back to the beach. It was in a pool of water, no doubt it would be pleased to see the tide again. Big thanks to Rotary for the wonderful BBQ organised for the team after the monitoring, and to the head chef John - great snags! Our next trip is in January 2007.♥



Townsville Region - Queensland

Regional Roundup!

Posa Skelton reports

Seagrass communities in Townsville continue to receive close attention from the Townsville-Thuringowa Seagrass-Watch group. Aside from our regular seagrass monitoring programme, promotions of Seagrass-Watch and recruitment of volunteers were high on the agenda. Since the last newsletter (June 2006), we have managed to survey Bushland Beach (BB1) twice (22 July and 7 October) under the guidance of Lux Foot and the Northern Beaches Rotary. Cockle Bay at Magnetic Island (MI2)



A Belgian Garden Student shows Yokohama University Staff what a *H. uninervis* seed looks like.

was surveyed on 25 July and 7 October by Don Kinsey and the University of the Third-Age. Sheley Beach 1 (SB1) was surveyed on 9 July and 7 October and the second Shelly Beach site (SB2) was surveyed on 9 August and 3 November. Picnic Bay (Magnetic Island, MI1) was monitored by Magnetic Island State School under the watchful eyes of Rhonda Stevens and Martin

Hammelswang. Finally, Rowes Bay was surveyed by the Belgian Gardens School, supervised by Gayle Joyce. Participating in the Rowes Bay survey were staff and students from the Yokohama City University, Japan.

For most of the surveys, field reports were prepared and sent to the Townsville-Thuringowa members; the reports can be viewed on our webpage:

(http://www.seagrasswatch.org/Townsville_thuringowa.html).

As some of our members are novice Seagrass-Watchers, time was spent in training them in the Seagrass-Watch methodology, as well as answering their queries on email.

To ensure a smooth coordination of our activities, meetings were held with local organisations to affirm their support and participation. The Conservation Volunteers Australia ran a Risk Assessment Workshop at the Museum of Tropical Queensland, which was attended by two Seagrass-Watch members.



Yokohama University Students and Staff with Rowes Bay Seagrass-Watch volunteers

We are grateful to Jane Mellors for her public-lecture on Seagrass-Watch at the Institute of Marine Engineering, Science and Technology North Queensland Branch, which received a lot of interest. A number of volunteers were recruited following her presentation. We also took advantage of the public presentation by Canadian Environmentalist David Suzuki to set up a stall at the Townsville Entertainment Centre (3rd October 2006), to promote Seagrass-Watch and our activities in the region. We managed to recruit a volunteer for every 6 minutes of our 2-hours spent there. Many thanks to Naomi Smith and Sue Mulvaney for their assistance in the display.

We are grateful for the participation of our international visitors at our seagrass surveys, in particular Flora Akwilapo from

Tanzania, Sibylle Seubert from Germany and the Yokohama City University staff and students from Japan. The Yokohama City University (YCU) students performed a small seagrass play for the benefit of the Belgian Gardens School students, who monitored the Rowes Bay site. Professor Hayashi (YCU) was impressed with the student's involvement in Seagrass-Watch and he expressed his desire to visit again.

We also farewelled some of our committed and regular seagrass watchers. We thank and wish the Clifton family the best on their move back to the USA, and our best wishes to Barry Bendell who has completed his PhD studies on the seagrass communities of Shelley Beach.

While some of our Seagrass-Watch groups were making splashes on the meadows, others were making headlines in the media. The University of the Third-Age under the guidance of Don Kinsey (Cockle Bay site, Magnetic Island) made it to the Prime-Time of the Townsville Bulletin (26 September, 2006). Not to be outdone was the Bushland Beach site coordinated by the Northern Beaches Rotary and Lux Foot with their "Dugong Habitat Thriving" feature in the Townsville Bulletin (11 October, 2006).

Our activities were only made possible through the generous support of many people and organisations, for which we are most grateful for. The sites and their supporters are: BB1 - Northern Beaches Rotary and Lux Foot; MI2 - University of the Third-Age and Don Kinsey; MI1 - Magnetic Island State School, Martin Hammelswang and Rhonda Stevens; RB1 - Belgian Gardens School, Gayle Joyce and Brett Murphy; SB1 - Mundingburra Rotary and Steve McGuire; SB2 - DPI&F, Jane Mellors and Naomi Smith

We also gratefully acknowledged support from the Townsville City Council, Conservation Volunteers Australia, Department of Primary Industries & Fisheries, Seagrass-Watch HQ, the International Ocean Institute (Australia) and the Burdekin Dry Tropics. Finally, to all our volunteers a big THANK-YOU: we look forward to seagrass-watching with you in the near future. ♡



HAS YOUR LOCAL COORDINATOR SENT YOUR DATA TO HQ??

If you're not sure, check with them.. ensure the time you spend monitoring is not wasted.. otherwise your data

Queensland

Noosa River Seagrass-Watch (NRSGW)

Kris Boody (NRSGW coordinator) reports

Two new sites and five new volunteers have been added to the NRSGW program over the past few months. QPWS Elanda Pt. have come on board for seagrass monitoring with a boat and research team to adopt two sites in Lake Cooribah (one of 5 in the Noosa River system).



Subtidal seagrass sites have made kayaks and a catamaran, a necessary resource



Seagrass beds in the upper reaches of the Noosa River are necessary for minimizing erosion in the river system



Above and Below: The Weyba Creek site



monitoring that is set for January 2007.

The Noosa River Community Seagrass-Watch Program is supported by Noosa Integrated Catchment Association (NICA), through funding provided by SEQ Catchments and the Noosa Shire Council. For more information contact Kris Boody at seagrass@noosariver.com.au

Subtidal seagrass sites have made kayaks and a catamaran, a necessary resource. A method of paddling over the area to take the data protects the seagrass from disturbance and limits turbidity in the water, aiding in more accurate data collection.

Species diversity has increased since last survey, due to refined survey methods, survey experience, and/or seasonal vegetative growth of *Halophila ovalis* making it more noticeable. *Halophila ovalis* was still lower than the dominant seagrass species *Zostera capricorni*.

Seagrass meadows in the upper reaches of the Noosa River help minimize erosion in the river system. The Weyba Creek site showed the largest increase in seagrass cover between survey 1 and 2 (approximately 39%). This is possibly a consequence of less boat wash, because vessels must slow down to traverse the shallow channel (<1m depth) adjacent to the site.

NRSGW will in 2007, add temperature loggers supplied by Seagrass-Watch Moreton Bay, train the Noosa Sea Scouts to monitor seagrass and a catamaran will be purchased before the next

Moreton Bay Community Seagrass-Watch

Paul Finn (QPWS) and Keira Price report

Our last monitoring period (July-August) saw 35 of our 55 sites surveyed. We are now well into the last monitoring period of the year (November-December).

We have begun installing temperature dataloggers at sites that will record the within canopy temperature every four hours. We are hoping to see a correlation between temperature and seagrass condition over time.

The 2005-2006 Healthy Waterways report card for Moreton Bay has just been released. The continual decline in water quality in the Southern Bay is of particular concern. Poor water clarity is one of the main reasons behind this decline which also effects the stability and health of seagrass meadows in the area. Continual Seagrass-Watch monitoring will be important over the coming years to detect any changes occurring in the meadow. Visit www.ehmp.org to view the full report. Seagrass-Watch sites on the eastern side of the Bay, where water quality is at its best, boast 5 out of the Bay's 7 species of seagrass.

Approximately 250 dedicated volunteers continue to work hard and support Moreton Bay's Seagrass-Watch. Through their efforts we will continue to keep an eye on any changes that may occur.

Thanks to continued financial support from SEQ Catchments, the Gold Coast Broadwater is set to become a new Seagrass-Watch region for Queensland. We have identified 12 potential monitoring sites within four locations and are in the process of arranging a workshop for early 2007 to get the program underway.



Moreton Bay Seagrass-Watch volunteers aboard the QPWS barge "Spoonbill" enjoying lunch after a natural history expedition on to the sand flats off Moreton Island. (photo by Don Marshall)



Ken and Nadia O'Carroll at Southern Bay Islands site 4. (Photo by Don Marshall)



A snail egg-mass from a *Polinices* species. (photo by Joyce Newell)



Volunteers come in all shapes and sizes! (photo by Danielle Udy)

HAVE YOU SENT YOUR DATA TO HQ??

If not, your data cannot be used for regional and global assessments

ARE YOU REGISTERED WITH HQ??

If not, you will not receive updates on the program and may not be a recognised member of the Seagrass-Watch community. www.seagrasswatch.org/register.html



Whitsundays (Qld) & New South Wales

Hydeaway Bay

Update from Mareen Mathew



Seagrass-Watch volunteers Hydeaway Bay: Anita, Tommy (the little boy), Hannah, Linda and Ros

Well we finally did a seagrass monitoring for Hydeaway Bay in July. I had a lot of new people assisting, and so it was a very quick lesson on what data to collect. I was busy running between both sites trying to keep an eye on things and also take photos. I don't think there was a great deal of difference in the

seagrass from the last monitoring event, but the data and determine that.

I explained to the new volunteers that it was imperative that we monitor the same area in each quadrat with an example given where one group had dragged the tape and the difference between the "correct" quadrat area and the one they were monitoring were like "chalk and cheese".



We also had some children join our group and I hope that they will join us again. Due to other commitments, we may be able to monitor the sites every 6 months, unless Margaret and Co [QPWS Volunteers] would like to help out. We are more than happy to join them.♥

Midge Point

Update from Paul & Jennifer Wenzler



We have just completed our survey of the Midge Point transects, despite the strong wind. The weather has been cooler for this time of year and has been reflected in the quality of the seagrass being surveyed. Normally at this time of year we find a lot of the seagrass spindly and dried

out. But this time most of it was nice and green and long. There is a continuing presence of *Halophila ovalis* in the area and we noted a couple of different seaweeds lying around as well as a piece of



seagrass that we had not seen before in this area (sample collected for identification). Some of the *Halophila ovalis* had quite large leaves compared to what we have seen in the past in this area. We noted some were in the vicinity of 2 cm in length.♥



NSW Community Seagrass Monitoring

Rebecca Small (Seagrass Project Officer (CEN))

The Community Seagrass Monitoring sadly has come to an end with the conclusion of funding for now. I am excited to see the progress the project has made over the last 18 months, with the project successfully achieving an increase in education and awareness about this local resource, the



importance of catchment health and water quality.

I have been busy writing funding reports and applying for further funding for the continuation of the project as a result of the overwhelming level of interest and support for the project over the last 18 months. We will be applying to a number of funding bodies over the next few months to ensure the longevity of the project so... "Watch this space!"

The project has had responses from 28 local government areas, participation from over 250 key experts and government representatives, and also had involvement from over 500 community members along coastal NSW! We have 16 letters of support from experts and representatives from government and non-government organisations all showing their support for the continuance of the project.



We have successfully completed 15 workshops and provided equipment to 16 sites across coastal NSW, despite being initially funded for just 7 workshops and no equipment! We have successfully had attendance from over 300 community members from across NSW, with important monitoring sessions completed at various sites throughout the state.



We hope to use the lessons learnt and resources gained to link into the internationally renowned Seagrass-Watch, to provide a nationally recognised community seagrass monitoring effort. A huge thankyou to Len McKenzie Principal

Scientist of the program, as well as the whole team at seagrass watch you guys are inspirational!

The project has been successful due to its strong volunteer base - a part of which many of you were involved and at this time I would like to thank you very much! Many of you have aided in networking, and information as well as brilliant ideas about everything from funding to future activities the project could be involved with. I would like to personally thank you for the support shown to myself for the last 18 months. I look forward to working closely with you all in the near future!♥





Team Seagrass **A hearty hello from Team Seagrass**

Siti Maryam Yaakub reports

Some might say, that our little island nation is well known for its good shopping and scrumptious gastronomic delights. While this is nothing short of true, few actually realise that the seagrasses we've got are no less scrumptious. Contrary to popular belief, Singapore still possesses a delectable spread of seagrass species, in spite of the urban development of its coastal areas and land reclamation. Len McKenzie and Rudi Yoshida from Seagrass-Watch HQ witnessed this for themselves when they visited Chek Jawa on Pulau (Malay for island) Ubin with Ria Tan and I on the 8th of October 2006.



Although it was a rather hazy day - the previous day recorded a high of 150 on the Pollutants Standards Index (PSI) - we headed for Chek Jawa for a bit of seagrass watching. Several different habitats can be found at Chek Jawa, which is located on the eastern tip of Pulau Ubin. These include coastal forests, mangroves, sand bars, rocky shore, coral rubble and of course, a seagrass lagoon. While the algal blooms common on Singapore's shores around this time of year made seagrass spotting a little more challenging than usual, we managed to find what we came for. Namely, the shallow pools of *Halophila spinulosa*, which are not commonly found in exposed intertidal areas, and the elusive *Halophila beccarii* a first for both Len and Rudi! Other species of seagrass found in the multi-species meadow at Chek Jawa include *Cymodocea rotundata*, *Halophila ovalis*, *Halophila minor*, *Halodule uninervis*, *Thalassia hemprichii* and isolated clumps of *Enhalus acoroides*.

Ria Tan (SW Singapore Coordinator), leading the way, with Len (SW HQ) and Siti (Team Seagrass)

Anecdotal evidence from the day suggests that a large portion of the seagrass community on Chek Jawa may have been overrun by the green seaweed *Caulerpa mexicana*. A more recent visit to the site showed that *C. mexicana* has since retreated quite considerably. However, some visitors recall *H. spinulosa* having been much more common at Chek Jawa five years ago, when a survey of the site was initiated. Whether this was a seasonal blip or a change in the relative abundance seagrasses is not known hence justifying the need for closer and more periodic monitoring of this beautiful seagrass community.

In total, 11 species of seagrass have been recorded in Singapore. A further three species, *Cymodocea serrulata*, *Halodule pinifolia* and *Syringodium isoetifolium* have been recorded on other shores in Singapore. The most prominent seagrass habitats are found on offshore islands at Chek Jawa on Pulau Ubin, and, off the southern coast of the island, on the northern shore of Pulau Semakau and a patch reef known as Cyrene Reef.



The elusive *Halophila beccarii*, found at Chek Jawa

Len and Rudi's visit really started the ball rolling for Seagrass-Watch here in Singapore. Since their visit, we've gained the support of the Biodiversity Centre of the National Parks Board (NParks), who have agreed to work closely with us. We even thought of a catchy new name "Team Seagrass" (Seagrass-Watch Singapore can be a bit of a mouthful) complete with hip insignia and blog (<http://teamseagrass.blogspot.com/>).



Chek Jawa: We measured up a possible site in the middle of the lagoon to include the largest patch of *Cymodocea rotundata* that we've yet seen on our shores.

Perhaps more importantly, we have decided on the areas in Singapore where we'd like to set up monitoring sites. Our strategy is to identify monitoring sites throughout the island. This is because different parts of the island face different types of environmental and anthropogenic pressures. For example, the eastern side of Singapore is affected by run-off from the Johore River, whereas the southern shores face pressure from land reclamation projects and heavy shipping traffic. Most of the areas we have identified are intertidal seagrass beds that are exposed at low tide.

We are currently in the midst of planning for monitoring of Phase 1 sites, which so far include the Chek Jawa in the East, Pulau Semakau to the South, Sentosa Island in the West and Tuas in the North. Most of December and January will be spent on reconnaissance trips, training volunteers and ironing out logistical and technical kinks so that we're ready when the really low tides conducive to monitoring intertidal seagrass beds rolls around in 2007.



Merawang Beacon, Tuas: Seagrass Here!!" Siti announces. And indeed, there's plenty of seagrasses on the shore.



The Walkie Talkie: was a great thrill for Siti to use, no doubt to the amusement of everyone else on Channel One.

Compared to countries like Australia, little is known about the seagrasses in our part of the South-East Asian region. Team Seagrass hopes that the data we collect will help us better understand the pattern of distribution of seagrass species in Singapore and the region as well as the pressures facing our seagrass habitats. More importantly, having a Seagrass-Watch monitoring programme will allow Singaporeans to get back to basics. Mud, sand and saltwater are not common features of city living, but we hope the denizens of this cosmopolitan nation will take to the glorious muckiness of it all!

Till then, Team Seagrass will be traipsing around Singapore's shores. Do drop by our blog to see what we've been up to and to say hi. I can guarantee you'll be greeted with a hearty "Hello(phila)!"





Pulau Ubin's Tanjung Chek Jawa A Treasure to Behold

Chua Sek Chuan and Shawn Lum



Pulau Ubin remains one of Singapore's few areas of natural and cultural heritage. Not for much longer as there are plans to develop the island for residential and light industrial use, and for part of its coastline to be extended by land reclamation. The natural environment is yet again forsaken, its hidden potential ignored and cast by the wayside in the relentless pursuit of progress.



The south-east coast of Pulau Ubin harbours a unique ecosystem no longer found elsewhere in Singapore. Tanjung Chek Jawa used to be home to a Malay kampong until the inhabitants vacated it earlier this year. This is a rich, fertile area, the result of synergy

between many coexisting habitats.

Along the coast of Chek Jawa lies an expanse of mud and sand flats with a mangrove forest on the landward side. These sand and mud flats are home to a variety of fauna and flora, providing for a high biodiversity habitat.

This area has at least eight species of seagrasses, including two *Halophila* species, the type of grass that the Dugong (*Dugong dugon*) feeds on. All seagrasses are listed as "Rare" or "Endangered" in the Singapore Red Data Book. Extensive seagrass beds are an extremely rare sight in Singapore and in other areas. The sandflats at Chek Jawa are possibly the last of their kind anywhere in Singapore, which speaks volumes for their conservation value.



Due to the nature of the substrate, burrowing animals abound such as tube worms and nemerteans (a burrowing worm). Horseshoe crabs (*F. merostomata*), an ancient form of animal that can rightly be called a living fossil, creep along the bottom. Mantis shrimps can be found stalking prey. Other marine organisms include tunicates or sea squirts, sea cucumbers, sand dollars, nudibranchs and anemones.



The mangroves at Chek Jawa feature a magnificent stand of bakau (*Rhizophora* species), a patch of nipah



Anemone in a dense Halophila spinulosa meadow

or attap palms (*Nipah fruticans*), and a back mangrove that includes a number of majestic dungun trees (*Heritiera littoralis*). Mangrove species such as api-api puteh (*Avicennia alba*) will no doubt re-colonise the future reclaimed land, but mature mangroves such as those found at Chek Jawa will neither regenerate rapidly nor



le n d themselves to simple restoration. Highlights of this wonderful flora include the seashore nutmeg (*Knema globularia*) so rare that it was once thought to have gone extinct locally; a coastal relative of the mangosteen (*Garcinia hombroniana*), listed as locally "Endangered" in the Singapore Red Data Book; the sea olive (*Olea brachiata*), listed as "Vulnerable"; the coastal shrub *Memecylon edule* ("Rare"), and a good number of other rarities.

Chek Jawa is slated for reclamation in the near future. Another part of Singapore's natural heritage will disappear forever as will any research potential to benefit our emerging biomedical and life sciences industry. Horseshoe crabs have been the subject of medical research that has been conducted for more than 10 years. Sponges, one of the familiar marine organisms at Chek Jawa, have the potential to provide derivatives that would offer medical benefits.

Gone too will be the chance for Singaporeans to experience a recreational nature area that they might not be able to see elsewhere. Sand and mud flats of this type are no longer found in other parts of Singapore. The loss of this valuable ecosystem outweighs the gains from expensive land reclamation. Like Labrador Park, Chek Jawa can also be considered an extended classroom offering a different experience for students as well as a chance to observe a part of Singapore rarely glimpsed. ♡



Chek Jawa's volunteer guides are vital to help introduce this wonderful place to visitors. Sharing their knowledge, skills and time to care for this natural wonder.



recreational nature area that they might not be able to see elsewhere. Sand and mud flats of this type are no longer found in other parts of Singapore. The loss of this valuable ecosystem outweighs the gains from expensive land reclamation. Like Labrador Park, Chek Jawa can also be considered an extended classroom offering a different experience for students as well as a chance to observe a part of Singapore rarely glimpsed. ♡



Shawn Lum (Nature Society Singapore) and Len McKenzie (Seagrass-Watch HQ)